Docket No. 4501-1015 Appln. No. 10/519,624

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- (previously presented) A method of determining relative levels of saturated fatty acids and unsaturated fatty acids in bovine milk obtained from one or more cows:
- (a) testing genetic material of the one or more cows for the presence of DNA encoding β -casein having a proline residue at position 67 or DNA encoding β -casein having a histidine residue at position 67 of the one or more cows;
- (b) identifying whether a cow or cows (i) will likely have a lower percentage of saturated fatty acids and a higher percentage of unsaturated fatty acids based on the presence of DNA encoding β -casein having a proline residue at position 67 or (ii) will likely have a higher percentage of saturated fatty acids and a lower percentage of unsaturated fatty acids based on the DNA encoding β -casein having a histidine residue at position 67 for which genetic material was tested in (a); and
- $\mbox{(c) obtaining milk from at least one of the one or more} \\ \mbox{cows after step (b).}$

Docket No. 4501-1015 Appln. No. 10/519,624

- 2. (previously presented) The method as claimed in claim 1, wherein the β -casein having a proline at position 67 includes one or more of β -caseins A2, A3, D, E and F.
- 3. (previously presented) The method as claimed in claim 2, wherein the β -casein having a proline at position 67 is β -casein A2.
- 4. (previously presented) The method as claimed in claim 1, wherein the β -casein having a histidine at position 67 includes one or more of β -caseins Al, B, and C.
- 5. (previously presented) The method as claimed in claim 4, wherein, the β -casein having a histidine at position 67 is β -casein Al.
- 6. (previously presented) The method as claimed in claim 1, wherein the level of short and medium chain saturated fatty acids having 6 to 14 carbon atoms in each chain (C6:0-C14:0) is reduced compared with milk obtainable from all of the two or more cows.

7-8. (cancelled).

9. (previously presented) The method as claimed in claim 1, wherein the genetic material of the cows may be any tissue containing, or which contained, nucleated cells.

Docket No. 4501-1015 Appln. No. 10/519,624

 $\,$ 10. (previously presented) The method as claimed in claim 9, wherein the genetic material is obtained from blood, hair, or milk.

11-25. (cancelled)